Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 23, October 10, 2013

For the Period October 1 to 7, 2013

Eighty-nine per cent of the 2013 crop is now combined and eight per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's Weekly Crop Report. Dry weather in most areas of the province resulted in significant harvest progress being made over the past week. The five-year average (2008-2012) for this time of year is 85 per cent combined and 11 per cent swathed or ready to straight-cut.

One year ago
Harvest was nearly complete at 99 per cent combined.
Follow the 2013 Crop Report on Twitter @SKGovAg

Harvest Progress in SK Per cent combined All Crops	
Oct 7/13	89
5 year avg. (2008-2012)	85
Oct 9/12	99
Oct 4/11	97
Oct 5/10	60
Oct 6/09	76
Oct 5/08	95

Harvest is most advanced in the west-central region, where 97 per cent of the crop is combined. Eighty-five per cent is combined in the southeast; 94 per cent in the southwest; 83 per cent in the east-central region; 85 per cent in the northeast and 92 per cent in the northwest. Harvest progress by crop district ranges from 99 to 76 per cent combined.

Saskatchewan Harvest by Crop District October 7, 2013 % combined	
1A	83
1B	78
2A	93
2B	84
3ASE	97
3ASW	84
3AN	95
3BS	92
3BN	96
4A	97
4B	99
5A	76
5B	81
6A	90
6B	95
7A	99
7B	99
8A	81
8B	90
9AE	81
9AW	93
9B	90

Of the crop that has been harvested, average to above-average yields are being reported in most areas. Spring wheat average yields are reported as 47 bushels per acre, durum 44 bushels per acre, barley 69 bushels per acre, canola 38 bushels per acre and peas 43 bushels per acre. Average yields vary from region to region, depending on seeding conditions and growing season moisture. Provincial spring wheat quality is estimated to be above average. Grades for spring wheat are estimated as 59 per cent 1CW, 31 per cent 2CW, nine per cent 3CW and one per cent CW feed.

The amount of rainfall across the province ranged from nil to 36 mm. The northwestern region received most of the rainfall over the past week.

Across the province, topsoil moisture on cropland is rated as two per cent surplus, 65 per cent adequate, 25 per cent short and eight per cent very short. Topsoil moisture on hay land and pasture is rated as one per cent surplus, 63 per cent adequate, 25 per cent short and 11 per cent very short.

For further information, contact Daphne Cruise, PAg,
Regional Crop Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-848-2856, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Rain and wind caused the majority of the crop damage. Crop damage due to rain has resulted in bleaching and sprouting in some cereal crops. Wind has caused some shattering losses in swathed canola and ripe crops.

Farmers are busy combining, hauling bales and completing fall weed control operations.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Producers were able to stay on the combines for most of the week as very little rain was reported in the region. Eighty-five per cent of the crop is combined and 10 per cent is swathed or ready to straight-cut. The five-year average (2008 to 2012) for this time of year is 87 per cent combined. Harvest progress ranges from 78 per cent combined in CD 1B to 97 per cent in CD 3ASE. Spring wheat is between 60 to 100 per cent combined; durum 70 to 100 per cent; barley 50 to 100 per cent; canola 70 to 100 per cent; and flax 20 to 100 per cent combined. Ten per cent of the canola, 17 per cent of the oats and eight per cent of the wheat is in the swath. One week of dry weather should get the majority of the crop off the field.

Spring wheat grades are rated as 47 per cent 1CW, 41 per cent 2CW, 11 per cent 3CW and one per cent feed. Above-average yields are being reported. Yields for the region vary from area to area, depending on seeding conditions and growing season moisture.

The amount of rainfall reported in the region ranged from nil to 8 mm (Indian Head area). Many areas reported no rainfall for the week. Topsoil moisture conditions on cropland are rated as eight per cent surplus, 72 per cent adequate, 18 per cent short and two per cent very short. Hay land and pasture moisture is rated as two per cent surplus, 68 per cent adequate, 25 per cent short and five per cent very short.

Bleaching and sprouting of standing ripe and swathed crops has occurred in some areas due to the rain that fell over the past three weeks. A hard frost on a couple nights was reported in most areas of the region, with temperatures reaching down to -3C to -5C for most of the night. Winter cereals are emerging.

Producers are busy helping out whomever they can to get the harvest wrapped up. Producers are busy harvesting, hauling bales and completing some fall field work.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

The region now has 94 per cent of the crop combined and three per cent swathed or ready to straight-cut. The five-year average (2008 to 2012) for this time of year is 91 per cent combined. Small rain showers moved through a few areas; however, most combines were able to keep working. Harvest progress ranges from 84 per cent combined in CD 3ASW to 99 per cent combined in 4B. Spring wheat and mustard crops are between 85 to 100 per cent combined; durum 70 to 100 per cent; barley 50 to 100 per cent; canola 85 to 100 per cent combined; and chickpeas 20 to 100 per cent combined. Twelve per cent of the oats are in the swath.

Spring wheat grades are rated as 34 per cent 1CW, 39 per cent 2CW, 20 per cent 3CW and seven per cent feed.

Topsoil moisture conditions on cropland are rated as 85 per cent adequate, 12 per cent short and three per cent very short. Hay land and pasture moisture is rated as 85 per cent adequate, 12 per cent short and three per cent very short. Thirty-three per cent of CD 4B is very short of topsoil moisture on both cropland and hay land and pasture.

Above-average yields are being reported. Yields vary from area to area, depending on seeding conditions and growing season moisture. Crop damage consists of bleaching, sprouting and downgrading, mostly attributed to the rain received in September. A week of dry weather should allow most producers to finish harvest.

Winter wheat crops are emerging. A hard frost was reported on a couple nights, with temperatures reaching down to -3C to -8C for most of the night.

Farmers are busy finishing harvest, baling straw, hauling bales and completing some fall weed control. Producers are busy helping out whomever they can to get the harvest wrapped up.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

A dry week in most areas has allowed producers to make significant harvest progress. Eighty-three per cent of the crop in the bin, while 15 per cent is swathed or ready to straight-cut. The five-year average (2008 to 2012) is 85 per cent combined. The amount of rainfall received in the region ranged from nil to 10 mm (Foam Lake area). Harvest progress ranges from 76 per cent combined in CD 5A to 90 per cent combined in CD 6A. The spring wheat and barley crops are between 50 to 100 per cent; canola 40 to 100 per cent; and flax 0 to 60 per cent combined. Soybeans are starting to be

combined. Twenty per cent of the flax, 15 per cent of the canola and 19 per cent of the oats are in the swath.

Spring wheat grades are rated as 55 per cent 1CW, 34 per cent 2CW, nine per cent 3CW and two per cent feed.

Cropland topsoil moisture is rated as 79 per cent adequate, 19 per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as 67 per cent adequate, 26 per cent short and seven per cent very short.

Above-average yields are being reported, although yields vary from region to region, depending on seeding conditions and growing season moisture. The precipitation in September has caused some downgrading, bleaching and sprouting of some crops. Some of the canola that was combined during the past week has been put into aeration bins or grain dryers. A hard frost was reported on a couple nights, with temperatures reaching down to -3C to -6C for most of the night.

Many producers are hoping to finish harvest in the next 10 days if the weather stays dry. Farmers are busy harvesting, baling straw and hauling bales.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Harvest is essentially complete in the region: 97 per cent of the crop is combined. The five-year average (2008 to 2012) is 83 per cent combined. The amount of rainfall in the region last week ranged from nil to 36 mm (Dinsmore area). Sixty-seven per cent of the flax and 69 per cent of the canaryseed (two minor crops) have been combined. Yields well above the 10-year average are being reported.

Spring wheat grades are rated as 79 per cent 1CW, 17 per cent 2CW and four per cent 3CW.

Although some areas received rain last week, topsoil moisture conditions are still very dry. Twenty per cent of the crop land has adequate topsoil moisture, 50 per cent is short and 30 per cent very short. Hay land and pasture topsoil moisture conditions are rated as 28 per cent adequate, 45 per cent short and 27 per cent very short. Many areas in the region have not had a significant rainfall in over a month and a half. In crop districts 7A and 7B, over 43 per cent of the cropland, hay land and pasture is very short of topsoil moisture.

Producers are busy with fall weed control operations, hauling bales and bringing cattle home from pastures.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Rain fell in most of the region early in the week, slowing harvest progress; however, by the weekend many producers were back in the field. Eighty-five per cent of the crop is now combined, on track with the five-year average (2008 to 2012). Fourteen per cent is swathed or ready to straight-cut. Harvest progress ranges from 81 per cent combined in CDs 8A and 9AE to 90 per cent combined in CD 8B. The spring wheat crop is between 75 to 100 per cent combined; oats 55 to 100 per cent; barley 85 to 100 per cent; canola 50 to 100 per cent; and flax 10 to 100 per cent combined. Seventeen per cent of the canola and flax is in the swath. A week to 10 days of dry weather will be needed to finish harvest.

Spring wheat grades are rated as 63 per cent 1CW, 36 per cent 2CW and one per cent 3CW. Yields are above average for the majority of the region.

The amount of rainfall in the region ranged from nil to 25 mm (Garrick area). Topsoil moisture on cropland is rated as two per cent surplus, 75 per cent adequate and 22 per cent short and one per cent very short. Topsoil moisture on hay land and pasture is reported as three per cent surplus, 76 per cent adequate and 21 per cent short.

Producers are busy harvesting, hauling hay and spraying.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

The region has 92 per cent of the crop combined, although rainfall early in the week slow harvest progress down. Combines have been back in the field the last couple of days. The five-year average for this time of year is 80 per cent combined. Harvest progress is 90 per cent complete in CD 9B and 93 per cent complete in CD 9AW. Eleven per cent of the canola, three per cent of the oats and two per cent of the wheat and barley are in the swath. Rainfall ranged from nil to 35 mm (Rapid View area).

Spring wheat grades are rated as 76 per cent 1CW, 18 per cent 2CW and six per cent 3CW. Above-average yields and good quality are being reported in the majority of the region.

The recent moisture was welcomed as soil conditions are very dry. Topsoil moisture on cropland is rated as 35 per cent adequate, 48 per cent short and 17 per cent very short. Topsoil moisture on hay land and pasture is reported as 25 per cent adequate, 41 per cent short and 34 per cent very short. Temperatures dropped to -7C in some areas on a few nights.

Many farmers are expecting to finish harvest within the week. Producers are busy harvesting, controlling fall weeds, baling straw and hauling bales.

Provincial Estimated Crop Yields- October 7, 2013							
Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.							
	Winter wheat	**Fall rye**	**Spring wheat**	**Durum**	**Oat**	**Barley**	**Flax**
Southeast	44	46	46	46	77	67	26
Southwest	51	39	42	44	69	65	24
East-central	50	36	49	46	96	75	29
West-central	36	32	44	43	78	66	27
Northeast	N/A	30	45	N/A	100	66	30
Northwest	N/A	25	49	N/A	96	73	25
Province	47	38	46	44	92	69	27
	Canola	**Mustard**	**Pea**	**Lentil**	**Canaryseed**	**Chickpea**	**Sunflower**
Southeast	37	1200	38	1300	1000	1400	N/A
Southwest	37	1300	43	1900	1400	1800	N/A
East-central	39	1300	42	1900	1300	1300	N/A
West-central	38	1200	44	1600	1300	1400	N/A
Northeast	34	N/A	37	N/A	1600	N/A	N/A
Northwest	41	N/A	46	N/A	N/A	N/A	N/A
Province	38	1300	43	1700	1300	1800	N/A
mustard, lentil, canaryseed, chickpea and sunflower in lbs/ac. All other crops in bu/ac.							

Saskatchewan Harvest Progress October 7, 2013

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	5	8	4	83
southwest	1	1	4	94
east-central	1	6	8	85
west-central	0	1	2	97
northeast	0	2	7	91
northwest	0	1	3	96
province	1	4	5	90

Durum	% Standing	% in swath	% ready to straight combine	% combined
southeast	3	6	1	90
southwest	2	0	4	94
east central	0	3	10	87
west-central	0	1	1	98
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	2	2	3	93

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	5	17	2	75	1
southwest	5	3	4	70	18
east-central	5	19	9	67	0
west-central	1	5	1	90	3
northeast	1	2	13	84	0
northwest	2	3	1	90	4
province	3	11	7	77	2

Barley	% Standing	% in swath	% ready to straight combine	% combined
southeast	6	6	5	83
southwest	5	0	1	94
east-central	1	5	2	92
west-central	0	1	1	98
northeast	0	4	2	94
northwest	5	1	3	91
province	2	3	2	93

Canola	% Standing	% in swath	% ready to straight combine	% combined
southeast	1	10	2	87
southwest	0	2	0	98
east-central	0	15	1	84
west-central	0	1	0	99
northeast	0	17	1	82
northwest	1	12	0	87
province	0	11	1	88

Flax	% Standing	% in swath	% ready to straight combine	% combined
southeast	34	9	7	50
southwest	34	0	21	45
east-central	23	20	13	44
west-central	9	4	20	67
northeast	27	16	32	25
northwest	N/A	N/A	N/A	N/A
province	29	11	13	47

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
southeast	N/A	N/A	N/A	N/A
southwest	24	5	15	56
east-central	N/A	N/A	N/A	N/A
west-central	N/A	N/A	N/A	N/A
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
southeast	34	24	3	39
southwest	7	0	9	84
east-central	N/A	N/A	N/A	N/A
west-central	1	24	7	68
northeast	23	1	6	70
northwest	N/A	N/A	N/A	N/A
province	18	16	5	61

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending October 7, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 9, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period October 1 to 7, 2013

Crop Dist.	R.M. No.		Name	Past Week	Since 1-Apr
1A	2		Mount Pleasant	NIL	423
	3		Enniskillen	NIL	463
	33		Moose Creek	N/A	292
	34		Browning	N/A	290
	61		Antler	N/A	574
	63		Moose Mountain	NIL	445
	64		Brock	NIL	306
	65		Tecumseh	NIL	401
1B	91		Maryfield	N/A	346
	92		Walpole	N/A	80
	122		Martin	2	485
	123		Silverwood	NIL	344
	124		Kingsley	NIL	249
	125	A	Chester	NIL	283
	125	B	Chester	NIL	264
	151	A	Rocanville	2	305
	151	B	Rocanville	1	270
	153		Willowdale	N/A	N/A
	154		Elcapo	N/A	287
	155	A	Wolseley	1	281
	155	B	Wolseley	N/A	240
2A	67		Weyburn	NIL	327
	68		Brokenshell	NIL	352
	97		Wellington	NIL	218
	99		Caledonia	N/A	N/A
2B	127	A	Francis	NIL	307
	127	B	Francis	NIL	259
	129		Bratt's Lake	NIL	253
	131	A	Baildon	N/A	399
	131	B	Baildon	N/A	332
	156	A	Indian Head	8	311
	156	B	Indian Head	N/A	392
	160	A	Pense	N/A	348
	160	B	Pense	NIL	314
	161		Moose Jaw	NIL	395
	162		Caron	NIL	341
	191		Marquis	N/A	233
3ASE	38	A	Laurier	NIL	384
	38	B	Laurier	NIL	296
	39	A	The Gap	NIL	375
	39	B	The Gap	NIL	338
3ASW	10		Happy Valley	NIL	258
	11		Hart Butte	N/A	205
	12		Poplar Valley	N/A	367
	40	A	Bengough	N/A	384
	40	B	Bengough	NIL	561
	42		Willow Bunch	N/A	363
	43	A	Old Post	NIL	387
	43	B	Old Post	N/A	N/A
	70		Key West	N/A	84
	71		Excel	N/A	208
	72	A	Lake of the Rivers	N/A	N/A
	72	B	Lake of the Rivers	N/A	135
	73	A	Stonehenge	NIL	433
	73	B	Stonehenge	NIL	390
	74	A	Wood River	N/A	387
	74	B	Wood River	N/A	3
	74	C	Wood River	N/A	N/A
3AN	101		Terrell	NIL	275
	102		Lake Johnston	N/A	252
	103	A	Sutton	NIL	343
	103	B	Sutton	N/A	N/A
	132	A	Hillsborough	NIL	350
	132	B	Hillsborough	NIL	382
	134		Shamrock	N/A	284
	164	A	Chaplin	NIL	294
	164	B	Chaplin	N/A	N/A
	193	A	Eyebrow	NIL	319
	193	B	Eyebrow	NIL	370
	194		Enfield	N/A	N/A
	224		Maple Bush	N/A	286
3BS	17	A	Val Marie	NIL	478
	17	B	Val Marie	N/A	N/A
	45		Manikota	N/A	491
	75	A	Pinto Creek	N/A	328
	75	B	Pinto Creek	N/A	267
	76		Auvergne	NIL	322
	77		Wise Creek	N/A	425
	78	A	Grassy Creek	NIL	436
	78	B	Grassy Creek	N/A	377
	105		Glenbain	NIL	366
	106		Whiska Creek	NIL	297
	107	A	Lac Pelletier	N/A	262
	107	B	Lac Pelletier	N/A	44
	108		Bone Creek	N/A	427

Crop Dist.	R.M. No.		Name	Past Week	Since 1-Apr
3BN	138	A	Webb	1	354
	138	B	Webb	NIL	287
	166	A	Excelsior	NIL	351
	166	B	Excelsior	N/A	N/A
	167		Sask. Landing	1.4	283
	168	A	Riverside	N/A	270
	168	B	Riverside	NIL	290
	226	A	Victory	N/A	175
	226	B	Victory	N/A	30
	228		Lacadena	N/A	227
	255		Coteau	N/A	167
	257		Monet	NIL	297
4A	19		Frontier	N/A	N/A
	49		White Valley	N/A	303
	51	A	Reno	NIL	302
	51	B	Reno	N/A	N/A
	79		Arlington	NIL	468
	109		Carmichael	NIL	356
	110		Piapot	N/A	330
	111		Maple Creek	N/A	334
4B	139		Gull Lake	NIL	284
	141		Big Stick	NIL	271
	142		Enterprise	N/A	283
	169		Pittville	N/A	249
	231		Happyland	NIL	170
5A	183	A	Fertile Belt	NIL	396
	183	B	Fertile Belt	NIL	336
	186		Abernethy	NIL	224
	211		Churchbridge	N/A	313
	213		Saltcoat	N/A	337
	214		Cana	N/A	25
	216		Tullymet	N/A	242
	217	A	Lipton	N/A	N/A
	241		Calder	3	332
	243		Wallace	NIL	297
	245	A	Garry	N/A	317
	245	B	Garry	NIL	267
	245	C	Garry	NIL	253
	246		Ituna Bon Accord	N/A	251
	247		Kellross	NIL	281
	248		Touchwood	N/A	191
5B	271		Cote	NIL	406
	273		Sliding Hills	N/A	243
	277		Emerald	10	290
	305		Invermay	NIL	366
	307		Elfros	NIL	286
	308	A	Big Quill	N/A	236
	308	B	Big Quill	N/A	271
	331		Livingston	6	375
	333		Clayton	N/A	39
	334		Preeceville	NIL	251
	336		Sasman	NIL	208
	337	A	Lakeview	1	292
	337	B	Lakeview	N/A	22
	338		Lakeside	1	282
	366		Kelvington	2	256
	367		Ponass Lake	N/A	225
6A	190	A	Dufferin	N/A	307
	190	B	Dufferin	NIL	246
	190	C	Dufferin	NIL	276
	190	D	Dufferin	N/A	42
	190	E	Dufferin	NIL	142
	219		Longlaketon	NIL	269
	220		Mclellop	NIL	337
	221		Samia	NIL	344
	222		Craik	NIL	419
	251		Big Arm	NIL	363
	252		Arm River	1	402
	279		Mount Hope	N/A	226
	282		McCraney	2	297
	309		Prairie Rose	NIL	329
	310		Usborne	N/A	N/A
	313		Lost River	N/A	239
	339		Leroy	0.4	323
	340		Wolverine	5	331
	341		Viscount	NIL	318
	343	A	Blucher	2.5	295
	343	B	Blucher	NIL	135
6B	283		Rosedale	N/A	214
	284		Rudy	4	285
	285		Fertile Valley	NIL	235
	286		Milden	36	250
	314		Dundurn	2	300
	344		Corman Park	4	165
	346		Perdue	N/A	223
	376	A	Eagle Creek	N/A	153
	376	B	Eagle Creek	1	189
	403	A	Rosthern	N/A	191
	403	B	Rosthern	1	247

Crop Dist.	R.M. No.		Name	Past Week	Since 1-Apr
7A	259		Snipe Lake	N/A	184
	260	A	Newcombe	N/A	105
	260	B	Newcombe	N/A	169
	261		Chesterfield	N/A	56
	287		St. Andrews	NIL	230
	288		Pleasant Valley	N/A	220
	290	A	Kindersley	NIL	194
	290	B	Kindersley	N/A	106
	290	C	Kindersley	N/A	207
	292		Milton	N/A	268
	317	A	Marriott	N/A	175
	317	B	Marriott	NIL	192
	317	C	Marriott	N/A	N/A
	318		Mountain View	3	262
	320	A	Oakdale	2.5	215
	320	B	Oakdale	10	218
	321		Prairiedale	10	175
7B	347	A	Biggar	NIL	185
	347	B	Biggar	N/A	246
	350	A	Mariposa	NIL	135
	350	B	Mariposa	N/A	235
	351		Progress	NIL	217
	352		Heart's Hill	NIL	319
	377		Glenside	NIL	194
	378	A	Rosemount	4	171
	378	B	Rosemount	N/A	222
	379		Reford	4	190
	381		Grass Lake	N/A	188
	382		Eye Hill	NIL	197
	409	A	Buffalo	8	258
	409	B	Buffalo	N/A	N/A
	410		Round Valley	NIL	164
	411		Senlac	N/A	N/A
8A	396		Porcupine	N/A	271
	397		Barrier Valley	1.7	236
	428		Star City	3	320
	456		Arborfield	8	299
	457		Connaught	NIL	318
	458		Willow Creek	NIL	249
	486		Moose Range	22	326
	487	A	Nipawin	15	270
	487	B	Nipawin	N/A	N/A
8B	369		St. Peter	N/A	235
	370		Humboldt	3	252
	371		Bayne	4	330
	372		Grant	NIL	361
	400	A	Three Lakes	N/A	3
	400	B	Three Lakes	NIL	321
	402		Fish Creek	4	282
	429		Flett's Springs	4	314
	431		St. Louis	N/A	N/A
	459		Kinistino	N/A	301
	460		Birch Hills	N/A	273
9AE	461		Prince Albert	N/A	22
	488		Torch River	25	360
	491		Buckland	9	357
9AW	406		Mayfield	NIL	200
	435		Redberry	N/A	232
	436		Douglas	N/A	202
	463		Duck Lake	NIL	293
	466		Meeting Lake	N/A	N/A
	467	A	Round Hill	7	321
	467	B	Round Hill	3	228
	494		Canwood	N/A	N/A
	496	A	Spiritwood	N/A	N/A
	496	B	Spiritwood	N/A	131
	497		Medstead	N/A	264
9B	438		Battle River	NIL	266
	440		Hillsdale	5	246
	442		Manitou Lake	4.7	322
	498	A	Parkdale	10	216
	498	B	Parkdale	5	202
	499	A	Mervin	5	312
	499	B	Mervin	N/A	24
	501	A	Frenchman Butte	N/A	304
	501	B	Frenchman Butte	9	269
	501	C	Frenchman Butte	6	245
	502	A	Britannia	N/A	N/A
	502	B	Britannia	N/A	210
	561		Loon Lake	33	245
	588	A	Meadow Lake	35	304
	588	B	Meadow Lake	31	340
	588	C	Meadow Lake	30	380
	588	D	Meadow Lake	23	316
	588	E	Meadow Lake	N/A	N/A
	622		Beaver River	21	260

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: October 7, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 9, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

October 8, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 9, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

October 8, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 9, 2013

© 2013 Government of Saskatchewan